CONTENTS

Volume 33

Number 1, February 1987

K. TOKUOKA, T. ISHITANI, S. GOTO, and K. KOMAGATA: Four new yeast species belonging to the genus *Candida* 1
N. KISHIMOTO and T. TANO: Acidophilic heterotrophic bacteria isolated from acidic mine drainage, sewage, and soils 11
A. ISHIDA, N. FUTAMURA, and T. MATSUSAKA: Detection of peroxidase activity and its localization in the forespore envelopes of *Bacillus cereus* 27
F. YANAGIDA, K. SUZUKI, T. KANEKO, M. KOZAKI, and K. KOMAGATA: Morphological, biochemical, and physiological characteristics of spore-forming lactic acid bacteria 33
F. YANAGIDA, K. SUZUKI, T. KANEKO, M. KOZAKI, and K. KOMAGATA: Deoxyribonucleic acid relatedness among some spore-forming lactic acid bacteria 47
M. HAMAMOTO, J. SUGIYAMA, and K. KOMAGATA: DNA-DNA reassociation studies of strains in the genera *Rhodosporidium* and *Rhodotorula* 57
S. GOTO, J. SUGIYAMA, M. HAMAMOTO, and K. KOMAGATA: *Saitoella*, a new anamorph genus in the Cryptococcaceae to accommodate two Himalayan yeast isolates formerly identified as *Rhodotorula glutinis* 75

Short Communications

C. B. SINGH, S. K. VERMA, and S. P. SINGH: Impact of heavy metals on glutamine synthetase and nitrogenase activity in *Nostoc calcicola* 87
Y. SHINTANI: Effect of nitrite on growth and anaerobic nitrogen fixation in *Bacillus polymyxa* 93

Number 2, April 1987

S. OSHIO, I. TAHATA, and H. MINATO: Effect of diets differing in ratios of roughage to concentrate on microflora in the rumen of heifers 99
J. ORLOWSKI and J. BARFORD: The effect of inoculum preparation on the fully aerated growth of *Saccharomyces cerevisiae* with a glucose substrate 113
Y. MAKI: Biological oxidation of sulfide and elemental sulfur by the A-type sulfur-turf growing in hot spring effluents 123
T. URAKAMI and K. KOMAGATA: Cellular fatty acid composition with special reference to the existence of hydroxy fatty acids in gram-negative methanol-, methane-, and methylamine-utilizing bacteria 135
T. NAKASE and M. SUZUKI: *Sporobolomyces griseoflavus* and *Sporobolomyces sasicola*, two new species of ballistosporous yeasts isolated from dead leaves of *Sasa* sp. in Japan 167
T. NAKASE and M. SUZUKI: Studies on ballistospore-forming yeasts from the dead leaves of *Miscanthus sinensis* with descriptions of the new species *Sporobolomyces miscanthi*, *Sporobolomyces subroseus*, and *Sporobolomyces weijmanii* 177
J. SUGIYAMA, K. NAGAI, and K. KOMAGATA: Ubiquinone systems in strains of species in the black yeast genera *Phaeococcomyces*, *Exophiala*, *Hortaea*, and *Rhinocladiella* 197
M. SUZUKI, T. NAKASE, W. DAENGSUBHA, M. CHAOWSANGKET, P. SUYANANDANA, and K. KOMAGATA: Identification of yeasts isolated from fermented foods and related materials in Thailand 205

CONTENTS

Volume 33

Number 1, February 1987

K. TOKUOKA, T. ISHITANI, S. GOTO, and K. KOMAGATA: Four new yeast species belonging to the genus *Candida* 1
N. KISHIMOTO and T. TANO: Acidophilic heterotrophic bacteria isolated from acidic mine drainage, sewage, and soils 11
A. ISHIDA, N. FUTAMURA, and T. MATSUSAKA: Detection of peroxidase activity and its localization in the forespore envelopes of *Bacillus cereus* 27
F. YANAGIDA, K. SUZUKI, T. KANEKO, M. KOZAKI, and K. KOMAGATA: Morphological, biochemical, and physiological characteristics of spore-forming lactic acid bacteria 33
F. YANAGIDA, K. SUZUKI, T. KANEKO, M. KOZAKI, and K. KOMAGATA: Deoxyribonucleic acid relatedness among some spore-forming lactic acid bacteria 47
M. HAMAMOTO, J. SUGIYAMA, and K. KOMAGATA: DNA-DNA reassociation studies of strains in the genera *Rhodosporidium* and *Rhodotorula* 57
S. GOTO, J. SUGIYAMA, M. HAMAMOTO, and K. KOMAGATA: *Saitoella*, a new anamorph genus in the Cryptococcaceae to accommodate two Himalayan yeast isolates formerly identified as *Rhodotorula glutinis* 75

Short Communications

C. B. SINGH, S. K. VERMA, and S. P. SINGH: Impact of heavy metals on glutamine synthetase and nitrogenase activity in *Nostoc calcicola* 87
Y. SHINTANI: Effect of nitrite on growth and anaerobic nitrogen fixation in *Bacillus polymyxa* 93

Number 2, April 1987

S. OSHIO, I. TAHATA, and H. MINATO: Effect of diets differing in ratios of roughage to concentrate on microflora in the rumen of heifers 99
J. ORLOWSKI and J. BARFORD: The effect of inoculum preparation on the fully aerated growth of *Saccharomyces cerevisiae* with a glucose substrate 113
Y. MAKI: Biological oxidation of sulfide and elemental sulfur by the A-type sulfur-turf growing in hot spring effluents 123
T. URAKAMI and K. KOMAGATA: Cellular fatty acid composition with special reference to the existence of hydroxy fatty acids in gram-negative methanol-, methane-, and methylamine-utilizing bacteria 135
T. NAKASE and M. SUZUKI: *Sporobolomyces griseoflavus* and *Sporobolomyces sasicola*, two new species of ballistosporous yeasts isolated from dead leaves of *Sasa* sp. in Japan 167
T. NAKASE and M. SUZUKI: Studies on ballistospore-forming yeasts from the dead leaves of *Miscanthus sinensis* with descriptions of the new species *Sporobolomyces miscanthi*, *Sporobolomyces subroseus*, and *Sporobolomyces weijmanii* 177
J. SUGIYAMA, K. NAGAI, and K. KOMAGATA: Ubiquinone systems in strains of species in the black yeast genera *Phaeococcomyces*, *Exophiala*, *Hortaea*, and *Rhinocladiella* 197
M. SUZUKI, T. NAKASE, W. DAENGSUBHA, M. CHAOWSANGKET, P. SUYANANDANA, and K. KOMAGATA: Identification of yeasts isolated from fermented foods and related materials in Thailand 205

Number 3, June 1987

P. K. Mehta, S. Mishra, and T. K. Ghose: Methanol accumulation by resting cells of *Methylosinus trichosporium* (I) 221
J. B. Fiol and Z. Hmama: The biochemistry and immunology of yeasts that produce true mycelia: *Ambrosiozyma*, *Hormoascus*, and *Hyphopichia* 231
S. Higashi, M. Abe, G. D. Reyes, and I. J. Manguiat: Electron microscopic studies of the root nodule of *Pterocarpus indicus* 241
S. Yamanaka, A. Kawaguchi, and K. Komagata: Isolation and identification of myxobacteria from soils and plant materials, with special reference to DNA base composition, quinone system, and cellular fatty acid composition, and with a description of a new species, *Myxococcus flavescens* 247
D. L. Keister, B. L. Jones, A. Kondorosi, and Z. Sva: Characteristics of glutamine synthetase I and II mutants of *Rhizobium* 267
S. Goto, H. Iwasaki, Y. Okuma, Y. Ito, and A. Endo: New species belonging to the genera *Pichia* and *Candida* 275
W. M. Reed: Protoplast fusion of *Lactobacillus acidophilus* and *Streptococcus lactis* via electric field or chemical induction 287

Short Communication

Y. Yamada and I. Banno: *Hasegawaea* gen nov., an ascosporogenous yeast genus for the organisms whose asexual reproduction is by fission and whose ascospores have smooth surfaces without papillae and which are characterized by the absence of coenzyme Q and by the presence of linoleic acid in cellular fatty acid composition 295
K. Hamajima, A. Nishikawa, T. Shinoda, and Y. Fukazawa: Deoxyribonucleic acid base composition and its homology between two forms of *Candida parapsilosis* and *Lodderomyces elongisporus* 299

Number 4, August 1987

I. K. Yu and F. Kawamura: *Halomethanococcus doii* gen. nov., sp. nov.: an obligately halophilic methanogenic bacterium from solar salt ponds 303
M. Ohmori and J. Kanda: H^+ and K^+ efflux associated with NH_4^+ uptake in *Anabaena cylindrica* cells in the dark 311
W. Y. Shieh, U. Simidu, and Y. Maruyama: Isolation of a nitrogen-fixing *Vibrio* species from the roots of eelgrass (*Zostera marina*) 321
F. Martinez, M. D. C. Avendaño, E. Marco, and M. I. Orus: Algal population and auxotrophic adaptation in a sugar refinery wastewater environment 331
T. Nakase and M. Suzuki: *Bullera variabilis*, a new species of yeast with uniquely-shaped ballistospores isolated from various plant materials 343
H. Kishida, T. Tojo, and B. Maruo: Molecular cloning of α-amylase gene from a mutant of *Bacillus licheniformis* and its expression in various strains 355
Y. Yamada, K. Aizawa, A. Matsumoto, Y. Nakagawa, and I. Banno: An electrophoretic comparison of enzymes in strains of species in the fission yeast genera *Schizosaccharomyces*, *Octosporomyces*, and *Hasegawaea* 363
Y. Nishimura, M. Kano, T. Ino, H. Iizuka, Y. Kosako, and T. Kaneko: Deoxyribonucleic acid relationship among the radiation-resistant *Acinetobacter* and other *Acinetobacter* 371

Short Communication

K. Matsushima, K. Chichiiwa, N. Mori, K. Sakka, and K. Shimada: Frequency occurrence of anionic serine proteinases in non-acid-productive fungi 377

Number 5, October 1987

G. BILLON-CRAND: Minor ubiquinones of the yeast coenzyme Q system: importance in the taxonomy of the yeasts 381
Y. MAKI: Effect of dissolved oxygen concentration on the biological oxidation of sulfide and elemental sulfur by the A-type sulfur-turf growing in hot spring effluents 391
H. S. JEE, N. NISHIO, and S. NAGAI: Influence of redox potential on biomethanation of H_2 and CO_2 by *Methanobacterium thermoautotrophicum* in E_h-stat batch cultures 401
R. BERNIER, JR., M. DESROCHERS, M. G. PAICE, and M. YAGUCHI: Isolation and characterization of β-xylosidase from a recombinant *Escherichia coli* strain 409
K. TODA, T. ASAKURA, and H. OHTAKE: Inhibitory effect of ethanol on ethanol fermentation 421
I. YAMAMOTO, H. SAITO, and M. ISHIMOTO: Comparison of properties of glutamate dehydrogenases in members of the *Bacteroides fragilis* group 429
K. ABE: Differentiation of mating tubes induced by the mating hormone rhodotorucine A during the mitotic cycle of *Rhodosporidium toruloides* 437
T. NAKASE, M. SUZUKI, and M. ITOH: *Sporobolomyces yamatoanus*, a new species of ballistosporous yeast equipped with ubiquinone-9 isolated from dead leaves of various plants in Japan 445

Short Communication

Y. YAMADA and K. KOMAGATA: *Mrakia* gen. nov., a heterobasidiomycetous yeast genus for the Q_8-equipped, self-sporulating organisms which produce a unicellular metabasidium, formerly classified in the genus *Leucosporidium* 455
Y. M. YU, M. OHBA, and K. AIZAWA: Synergistic effects of the 65- and 25-kilodalton proteins of *Bacillus thuringiensis* strain PG-14 (serotype 8A : 8B) in mosquito larvicidal activity 459

Number 6, December 1987

P. LOUBIERE, S. PACAUD, G. GOMA, and N. D. LINDLEY: The effect of formate on the acidogenic fermentation of methanol by *Eubacterium limosum* 463
A. KUMAR RAI and S. SINGH: Kinetics and regulation of urea uptake in *Anabaena doliolum* and *Anacystis nidulans* 471
N. MD. ISLAM, T. MOTOHIRO, and T. KIMURA: Antibacterial characteristics of fish protamines. VII. Interaction between clupeine sulfate and the cytoplasmic membrane of *Bacillus subtilis* .. 481
N. MD. ISLAM, T. MOTOHIRO, and T. KIMURA: Antibacterial characteristics of fish protamines. VIII. Effect of clupeine sulfate on the membrane-ATPase activity and membrane structure of *Bacillus subtilis* 489
T. SAKATA and K. TODAKA: Isolation of *Plesiomonas shigelloides* and its distribution in fresh water environments 497
Y. TAKAHASHI, Y. TANAKA, Y. IWAI, and S. ŌMURA: *Promicromonospora sukumoe* sp. nov., a new species of the *Actinomycetales* 507
T. URAKAMI and K. KOMAGATA: Characterization and identification of methanol-utilizing *Hyphomicrobium* strains and a comparison with species of *Hyphomonas* and *Rhodomicrobium* 521

Short Communication

G. TURIAN and T. CAN CAESAR: Multipolar germination of conditionally-produced conidia in an "amycelial" mutant of *Neurospora crassa* 543
Y. YAMADA and I. BANNO: *Hasegawaea japonica* var. *versatilis*, a new combination for *Schizosaccharomyces japonicus* var. *versatilis* 547